

| Nazwa | SType | X | Y | Z | I or A | Li | R'w | L'w | |
|-----------------------------------|--------|-----------|-----------|------|-------------------|-------|------|-------|--|
| | | m | m | m | m, m _e | dB(A) | dB | dB(A) | |
| Kurnik nr 1 Fasada 1 | Obszar | 643963,00 | 298848,51 | 4,50 | 1056,68 | 85,0 | 36,0 | 45,0 | |
| Kurnik nr 1 Dach | Obszar | 643972,18 | 298857,90 | 9,00 | 3090,71 | 85,0 | 36,0 | 45,0 | |
| Kurnik nr 1 Dach wentylator 1 | Punkt | 643931,79 | 298896,90 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 1 Dach wentylator 2 | Punkt | 643935,23 | 298893,13 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 1 Dach wentylator 3 | Punkt | 643938,86 | 298890,63 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 1 Dach wentylator 4 | Punkt | 643942,61 | 298886,08 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 1 Dach wentylator 5 | Punkt | 643947,78 | 298882,58 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 1 Dach wentylator 6 | Punkt | 643951,52 | 298878,04 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 1 Dach wentylator 7 | Punkt | 643957,54 | 298871,24 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 1 Dach wentylator 8 | Punkt | 643965,41 | 298865,72 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 1 Dach wentylator 9 | Punkt | 643970,14 | 298861,19 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 1 Dach wentylator 10 | Punkt | 643976,68 | 298854,94 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 1 Dach wentylator 11 | Punkt | 643981,96 | 298849,89 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 1 Dach wentylator 12 | Punkt | 643986,72 | 298844,38 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 1 Dach wentylator 13 | Punkt | 643992,50 | 298838,85 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 1 Dach wentylator 14 | Punkt | 643996,47 | 298833,53 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 1 Dach wentylator 15 | Punkt | 644005,41 | 298826,02 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 1 Fasada 2 | Obszar | 644014,82 | 298816,91 | 4,50 | 233,79 | 85,0 | 36,0 | 45,0 | |
| Kurnik nr 1 Fasada 2 Wentylator 1 | Punkt | 644007,49 | 298809,91 | 1,80 | | 0,0 | 0,0 | 92,0 | |
| Kurnik nr 1 Fasada 2 Wentylator 2 | Punkt | 644009,26 | 298811,60 | 1,80 | | 0,0 | 0,0 | 92,0 | |
| Kurnik nr 1 Fasada 2 Wentylator 3 | Punkt | 644011,18 | 298813,43 | 1,80 | | 0,0 | 0,0 | 92,0 | |
| Kurnik nr 1 Fasada 2 Wentylator 4 | Punkt | 644013,45 | 298815,61 | 1,80 | | 0,0 | 0,0 | 92,0 | |
| Kurnik nr 1 Fasada 2 Wentylator 5 | Punkt | 644018,15 | 298820,10 | 1,80 | | 0,0 | 0,0 | 84,0 | |
| Kurnik nr 1 Fasada 2 Wentylator 6 | Punkt | 644020,90 | 298822,73 | 1,80 | | 0,0 | 0,0 | 84,0 | |
| Kurnik nr 1 Fasada 3 | Obszar | 643981,60 | 298866,99 | 4,50 | 1065,57 | 85,0 | 36,0 | 45,0 | |
| Kurnik nr 1 Fasada 4 | Obszar | 643929,79 | 298898,59 | 4,50 | 238,28 | 85,0 | 36,0 | 45,0 | |
| Kurnik nr 2 Fasada 1 | Obszar | 643939,09 | 298824,75 | 4,50 | 1052,46 | 85,0 | 36,0 | 45,0 | |
| Kurnik nr 2 Dach | Obszar | 643948,01 | 298834,28 | 9,00 | 3058,54 | 85,0 | 36,0 | 45,0 | |
| Kurnik nr 2 Dach wentylator 1 | Punkt | 643908,83 | 298872,89 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 2 Dach wentylator 2 | Punkt | 643914,65 | 298867,41 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 2 Dach wentylator 3 | Punkt | 643918,33 | 298863,95 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 2 Dach wentylator 4 | Punkt | 643924,79 | 298855,41 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 2 Dach wentylator 5 | Punkt | 643932,41 | 298850,24 | 9,00 | | 0,0 | 0,0 | 83,0 | |

| Nazwa | SType | X m | Y m | Z m | I or A m,m _e | Li dB(A) | R'w dB | L'w dB(A) |
|-----------------------------------|--------|-----------|-----------|--------|----------------------------|-------------|-----------|--------------|
| Kurnik nr 2 Dach wentylator 6 | Punkt | 643939,09 | 298842,45 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 2 Dach wentylator 7 | Punkt | 643945,44 | 298837,52 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 2 Dach wentylator 8 | Punkt | 643951,01 | 298831,25 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 2 Dach wentylator 9 | Punkt | 643956,57 | 298826,51 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 2 Dach wentylator 10 | Punkt | 643959,73 | 298823,53 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 2 Dach wentylator 11 | Punkt | 643964,57 | 298816,99 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 2 Dach wentylator 12 | Punkt | 643969,62 | 298812,80 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 2 Dach wentylator 13 | Punkt | 643975,44 | 298806,29 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 2 Dach wentylator 14 | Punkt | 643981,28 | 298801,84 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 2 Dach wentylator 15 | Punkt | 643986,10 | 298795,80 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 2 Fasada 2 | Obszar | 643990,90 | 298793,33 | 4,50 | 227,10 | 85,0 | 36,0 | 45,0 |
| Kurnik nr 2 Fasada 2 Wentylator 1 | Punkt | 643982,50 | 298785,46 | 1,80 | | 0,0 | 0,0 | 92,0 |
| Kurnik nr 2 Fasada 2 Wentylator 2 | Punkt | 643984,83 | 298787,64 | 1,80 | | 0,0 | 0,0 | 92,0 |
| Kurnik nr 2 Fasada 2 Wentylator 3 | Punkt | 643987,06 | 298789,73 | 1,80 | | 0,0 | 0,0 | 92,0 |
| Kurnik nr 2 Fasada 2 Wentylator 4 | Punkt | 643990,05 | 298792,53 | 1,80 | | 0,0 | 0,0 | 92,0 |
| Kurnik nr 2 Fasada 2 Wentylator 5 | Punkt | 643995,20 | 298797,35 | 1,80 | | 0,0 | 0,0 | 84,0 |
| Kurnik nr 2 Fasada 2 Wentylator 6 | Punkt | 643998,01 | 298799,98 | 1,80 | | 0,0 | 0,0 | 84,0 |
| Kurnik nr 2 Fasada 3 | Obszar | 643957,86 | 298842,88 | 4,50 | 1058,78 | 85,0 | 36,0 | 45,0 |
| Kurnik nr 2 Fasada 4 | Obszar | 643906,05 | 298874,30 | 4,50 | 242,74 | 85,0 | 36,0 | 45,0 |
| Kurnik nr 3 Fasada 1 | Obszar | 643917,12 | 298800,63 | 4,50 | 1063,61 | 85,0 | 36,0 | 45,0 |
| Kurnik nr 3 Dach | Obszar | 643926,01 | 298810,25 | 9,00 | 3093,29 | 85,0 | 36,0 | 45,0 |
| Kurnik nr 3 Dach wentylator 1 | Punkt | 643888,38 | 298849,71 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 3 Dach wentylator 2 | Punkt | 643893,91 | 298844,49 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 3 Dach wentylator 3 | Punkt | 643897,11 | 298839,95 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 3 Dach wentylator 4 | Punkt | 643901,83 | 298835,98 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 3 Dach wentylator 5 | Punkt | 643907,15 | 298830,47 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 3 Dach wentylator 6 | Punkt | 643915,23 | 298824,83 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 3 Dach wentylator 7 | Punkt | 643919,28 | 298817,98 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 3 Dach wentylator 8 | Punkt | 643922,97 | 298814,02 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 3 Dach wentylator 9 | Punkt | 643928,53 | 298808,76 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 3 Dach wentylator 10 | Punkt | 643936,91 | 298801,33 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 3 Dach wentylator 11 | Punkt | 643940,87 | 298797,58 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 3 Dach wentylator 12 | Punkt | 643947,20 | 298792,64 | 9,00 | | 0,0 | 0,0 | 83,0 |

| Nazwa | SType | X | Y | Z | I or A | Li | R'w | L'w |
|-----------------------------------|--------|-----------|-----------|------|------------------|-------|------|-------|
| | | m | m | m | m,m _c | dB(A) | dB | dB(A) |
| Kurnik nr 3 Dach wentylator 13 | Punkt | 643949,85 | 298789,10 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 3 Dach wentylator 14 | Punkt | 643956,69 | 298783,68 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 3 Dach wentylator 15 | Punkt | 643964,86 | 298774,92 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 3 Fasada 2 | Obszar | 643968,93 | 298769,56 | 4,50 | 233,92 | 85,0 | 36,0 | 45,0 |
| Kurnik nr 3 Fasada 2 Wentylator 1 | Punkt | 643960,72 | 298760,75 | 1,80 | | 0,0 | 0,0 | 92,0 |
| Kurnik nr 3 Fasada 2 Wentylator 2 | Punkt | 643962,59 | 298762,76 | 1,80 | | 0,0 | 0,0 | 92,0 |
| Kurnik nr 3 Fasada 2 Wentylator 3 | Punkt | 643965,42 | 298765,80 | 1,80 | | 0,0 | 0,0 | 92,0 |
| Kurnik nr 3 Fasada 2 Wentylator 4 | Punkt | 643967,84 | 298768,39 | 1,80 | | 0,0 | 0,0 | 92,0 |
| Kurnik nr 3 Fasada 2 Wentylator 5 | Punkt | 643971,42 | 298772,23 | 1,80 | | 0,0 | 0,0 | 84,0 |
| Kurnik nr 3 Fasada 2 Wentylator 6 | Punkt | 643973,84 | 298774,83 | 1,80 | | 0,0 | 0,0 | 84,0 |
| Kurnik nr 3 Fasada 3 | Obszar | 643935,19 | 298819,64 | 4,50 | 1058,99 | 85,0 | 36,0 | 45,0 |
| Kurnik nr 3 Fasada 4 | Obszar | 643883,37 | 298850,71 | 4,50 | 238,28 | 85,0 | 36,0 | 45,0 |
| Kurnik nr 4 Fasada 1 | Obszar | 643894,76 | 298776,92 | 4,50 | 1059,95 | 85,0 | 36,0 | 45,0 |
| Kurnik nr 4 Dach | Obszar | 643903,88 | 298786,36 | 9,00 | 3086,44 | 85,0 | 36,0 | 45,0 |
| Kurnik nr 4 Dach wentylator 1 | Punkt | 643866,06 | 298826,60 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 4 Dach wentylator 2 | Punkt | 643871,59 | 298820,30 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 4 Dach wentylator 3 | Punkt | 643876,02 | 298815,54 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 4 Dach wentylator 4 | Punkt | 643880,71 | 298810,53 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 4 Dach wentylator 5 | Punkt | 643888,23 | 298803,28 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 4 Dach wentylator 6 | Punkt | 643896,58 | 298793,71 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 4 Dach wentylator 7 | Punkt | 643904,62 | 298786,92 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 4 Dach wentylator 8 | Punkt | 643911,62 | 298781,22 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 4 Dach wentylator 9 | Punkt | 643918,94 | 298773,68 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 4 Dach wentylator 10 | Punkt | 643924,40 | 298767,38 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 4 Dach wentylator 11 | Punkt | 643930,88 | 298762,65 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 4 Dach wentylator 12 | Punkt | 643935,58 | 298757,08 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 4 Dach wentylator 13 | Punkt | 643940,24 | 298753,63 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 4 Dach wentylator 14 | Punkt | 643944,43 | 298749,11 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 4 Dach wentylator 15 | Punkt | 643908,03 | 298784,19 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 4 Fasada 2 | Obszar | 643946,16 | 298745,69 | 4,50 | 237,41 | 85,0 | 36,0 | 45,0 |
| Kurnik nr 4 Fasada 2 Wentylator 1 | Punkt | 643938,04 | 298737,00 | 1,80 | | 0,0 | 0,0 | 92,0 |
| Kurnik nr 4 Fasada 2 Wentylator 2 | Punkt | 643940,22 | 298739,34 | 1,80 | | 0,0 | 0,0 | 92,0 |
| Kurnik nr 4 Fasada 2 Wentylator 3 | Punkt | 643942,55 | 298741,83 | 1,80 | | 0,0 | 0,0 | 92,0 |

| Nazwa | SType | X | Y | Z | I or A | Li | R'w | L'w | |
|-----------------------------------|--------|-----------|-----------|------|-------------------|-------|------|-------|--|
| | | m | m | m | m, m _c | dB(A) | dB | dB(A) | |
| Kurnik nr 4 Fasada 2 Wentylator 4 | Punkt | 643945,38 | 298744,86 | 1,80 | | 0,0 | 0,0 | 92,0 | |
| Kurnik nr 4 Fasada 2 Wentylator 5 | Punkt | 643950,19 | 298750,01 | 1,80 | | 0,0 | 0,0 | 84,0 | |
| Kurnik nr 4 Fasada 2 Wentylator 6 | Punkt | 643952,38 | 298752,35 | 1,80 | | 0,0 | 0,0 | 84,0 | |
| Kurnik nr 4 Fasada 3 | Obszar | 643912,90 | 298795,92 | 4,50 | 1054,71 | 85,0 | 36,0 | 45,0 | |
| Kurnik nr 4 Fasada 4 | Obszar | 643861,50 | 298827,15 | 4,50 | 235,52 | 85,0 | 36,0 | 45,0 | |
| Kurnik nr 5 Fasada 1 | Obszar | 643872,31 | 298753,80 | 4,50 | 1053,09 | 85,0 | 36,0 | 45,0 | |
| Kurnik nr 5 Dach | Obszar | 643880,65 | 298763,42 | 9,00 | 2981,63 | 85,0 | 36,0 | 45,0 | |
| Kurnik nr 5 Dach wentylator 1 | Punkt | 643842,02 | 298800,75 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 5 Dach wentylator 2 | Punkt | 643846,72 | 298796,76 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 5 Dach wentylator 3 | Punkt | 643850,92 | 298792,77 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 5 Dach wentylator 4 | Punkt | 643854,06 | 298790,34 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 5 Dach wentylator 5 | Punkt | 643859,25 | 298786,36 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 5 Dach wentylator 6 | Punkt | 643861,37 | 298783,87 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 5 Dach wentylator 7 | Punkt | 643867,93 | 298777,63 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 5 Dach wentylator 8 | Punkt | 643873,14 | 298772,67 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 5 Dach wentylator 9 | Punkt | 643878,14 | 298767,92 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 5 Dach wentylator 10 | Punkt | 643883,60 | 298763,21 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 5 Dach wentylator 11 | Punkt | 643889,67 | 298756,96 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 5 Dach wentylator 12 | Punkt | 643895,67 | 298751,74 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 5 Dach wentylator 13 | Punkt | 643901,94 | 298745,78 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 5 Dach wentylator 14 | Punkt | 643910,62 | 298736,55 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 5 Dach wentylator 15 | Punkt | 643919,46 | 298729,60 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 5 Fasada 2 | Obszar | 643923,30 | 298722,43 | 4,50 | 223,25 | 85,0 | 36,0 | 45,0 | |
| Kurnik nr 5 Fasada 2 Wentylator 1 | Punkt | 643916,10 | 298714,93 | 1,80 | | 0,0 | 0,0 | 92,0 | |
| Kurnik nr 5 Fasada 2 Wentylator 2 | Punkt | 643917,86 | 298716,77 | 1,80 | | 0,0 | 0,0 | 92,0 | |
| Kurnik nr 5 Fasada 2 Wentylator 3 | Punkt | 643920,11 | 298719,11 | 1,80 | | 0,0 | 0,0 | 92,0 | |
| Kurnik nr 5 Fasada 2 Wentylator 4 | Punkt | 643922,40 | 298721,49 | 1,80 | | 0,0 | 0,0 | 92,0 | |
| Kurnik nr 5 Fasada 2 Wentylator 5 | Punkt | 643924,82 | 298724,02 | 1,80 | | 0,0 | 0,0 | 84,0 | |
| Kurnik nr 5 Fasada 2 Wentylator 6 | Punkt | 643928,22 | 298727,55 | 1,80 | | 0,0 | 0,0 | 84,0 | |
| Kurnik nr 5 Fasada 3 | Obszar | 643889,63 | 298772,38 | 4,50 | 1059,87 | 85,0 | 36,0 | 45,0 | |
| Kurnik nr 5 Fasada 4 | Obszar | 643838,65 | 298803,75 | 4,50 | 234,06 | 85,0 | 36,0 | 45,0 | |
| Kurnik nr 6 Fasada 1 | Obszar | 643848,07 | 298729,30 | 4,50 | 1068,77 | 85,0 | 36,0 | 45,0 | |
| Kurnik nr 6 Dach | Obszar | 643857,61 | 298738,32 | 9,00 | 3105,46 | 85,0 | 36,0 | 45,0 | |

| Nazwa | SType | X | Y | Z | I or A | Li | R'w | L'w | |
|-----------------------------------|--------|-----------|-----------|------|-------------------|-------|------|-------|--|
| | | m | m | m | m, m _c | dB(A) | dB | dB(A) | |
| Kurnik nr 6 Dach Wentylator 1 | Punkt | 643820,48 | 298777,11 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 6 Dach Wentylator 2 | Punkt | 643823,40 | 298772,29 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 6 Dach Wentylator 3 | Punkt | 643830,17 | 298768,28 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 6 Dach Wentylator 4 | Punkt | 643835,18 | 298763,47 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 6 Dach Wentylator 5 | Punkt | 643839,42 | 298757,93 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 6 Dach Wentylator 6 | Punkt | 643844,68 | 298753,37 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 6 Dach Wentylator 7 | Punkt | 643850,47 | 298746,76 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 6 Dach Wentylator 8 | Punkt | 643854,95 | 298741,97 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 6 Dach Wentylator 9 | Punkt | 643860,43 | 298738,23 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 6 Dach Wentylator 10 | Punkt | 643867,53 | 298731,40 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 6 Dach Wentylator 11 | Punkt | 643871,99 | 298726,08 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 6 Dach Wentylator 12 | Punkt | 643875,44 | 298723,32 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 6 Dach Wentylator 13 | Punkt | 643878,63 | 298717,69 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 6 Dach Wentylator 14 | Punkt | 643886,48 | 298710,13 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 6 Dach Wentylator 15 | Punkt | 643893,80 | 298705,12 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 6 Fasada 2 | Obszar | 643900,16 | 298697,79 | 4,50 | 240,82 | 85,0 | 36,0 | 45,0 | |
| Kurnik nr 6 Fasada 2 Wentylator 1 | Punkt | 643891,68 | 298688,98 | 1,80 | | 0,0 | 0,0 | 92,0 | |
| Kurnik nr 6 Fasada 2 Wentylator 2 | Punkt | 643893,83 | 298691,21 | 1,80 | | 0,0 | 0,0 | 92,0 | |
| Kurnik nr 6 Fasada 2 Wentylator 3 | Punkt | 643896,33 | 298693,81 | 1,80 | | 0,0 | 0,0 | 92,0 | |
| Kurnik nr 6 Fasada 2 Wentylator 4 | Punkt | 643898,83 | 298696,40 | 1,80 | | 0,0 | 0,0 | 92,0 | |
| Kurnik nr 6 Fasada 2 Wentylator 5 | Punkt | 643902,29 | 298700,00 | 1,80 | | 0,0 | 0,0 | 84,0 | |
| Kurnik nr 6 Fasada 2 Wentylator 6 | Punkt | 643905,21 | 298703,03 | 1,80 | | 0,0 | 0,0 | 84,0 | |
| Kurnik nr 6 Fasada 3 | Obszar | 643866,63 | 298747,88 | 4,50 | 1060,23 | 85,0 | 36,0 | 45,0 | |
| Kurnik nr 6 Fasada 4 | Obszar | 643814,54 | 298779,39 | 4,50 | 232,00 | 85,0 | 36,0 | 45,0 | |
| Kurnik nr 7 Fasada 1 | Obszar | 643826,32 | 298706,59 | 4,50 | 1065,26 | 85,0 | 36,0 | 45,0 | |
| Kurnik nr 7 Dach | Obszar | 643835,14 | 298715,21 | 9,00 | 2911,69 | 85,0 | 36,0 | 45,0 | |
| Kurnik nr 7 Dach wentylator 1 | Punkt | 643795,90 | 298753,85 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 7 Dach wentylator 2 | Punkt | 643800,63 | 298749,31 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 7 Dach wentylator 3 | Punkt | 643809,51 | 298743,33 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 7 Dach wentylator 4 | Punkt | 643812,17 | 298737,73 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 7 Dach wentylator 5 | Punkt | 643817,40 | 298732,70 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 7 Dach wentylator 6 | Punkt | 643822,96 | 298725,35 | 9,00 | | 0,0 | 0,0 | 83,0 | |
| Kurnik nr 7 Dach wentylator 7 | Punkt | 643828,45 | 298719,59 | 9,00 | | 0,0 | 0,0 | 83,0 | |

| Nazwa | SType | X | Y | Z | I or A | Li | R'w | L'w |
|------------------------------------|--------|-----------|-----------|------|-------------------|-------|------|-------|
| | | m | m | m | m, m _c | dB(A) | dB | dB(A) |
| Kurnik nr 7 Dach wentylator 8 | Punkt | 643838,37 | 298711,59 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 7 Dach wentylator 9 | Punkt | 643847,51 | 298703,28 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 7 Dach wentylator 10 | Punkt | 643854,67 | 298693,91 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 7 Dach wentylator 11 | Punkt | 643861,94 | 298688,93 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 7 Dach wentylator 12 | Punkt | 643866,40 | 298683,61 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 7 Dach wentylator 13 | Punkt | 643871,88 | 298678,34 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 7 Dach wentylator 14 | Punkt | 643850,69 | 298698,22 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 7 Dach wentylator 15 | Punkt | 643841,83 | 298706,24 | 9,00 | | 0,0 | 0,0 | 83,0 |
| Kurnik nr 7 Fasada 2 | Obszar | 643877,58 | 298674,66 | 4,50 | 225,05 | 85,0 | 36,0 | 45,0 |
| Kurnik nr 7 Fasada 2 Wentylator 1 | Punkt | 643870,23 | 298666,89 | 1,80 | | 0,0 | 0,0 | 92,0 |
| Kurnik nr 7 Fasada 2 Wentylator 2 | Punkt | 643872,02 | 298668,78 | 1,80 | | 0,0 | 0,0 | 92,0 |
| Kurnik nr 7 Fasada 2 Wentylator 3 | Punkt | 643874,25 | 298671,14 | 1,80 | | 0,0 | 0,0 | 92,0 |
| Kurnik nr 7 Fasada 2 Wentylator 4 | Punkt | 643877,34 | 298674,41 | 1,80 | | 0,0 | 0,0 | 92,0 |
| Kurnik nr 7 Fasada 2 Wentylator 5 | Punkt | 643879,64 | 298676,84 | 1,80 | | 0,0 | 0,0 | 84,0 |
| Kurnik nr 7 Fasada 2 Wentylator 6 | Punkt | 643881,74 | 298679,06 | 1,80 | | 0,0 | 0,0 | 84,0 |
| Kurnik nr 7 Fasada 3 | Obszar | 643843,64 | 298724,20 | 4,50 | 1056,61 | 85,0 | 36,0 | 45,0 |
| Kurnik nr 7 Fasada 4 | Obszar | 643792,38 | 298756,12 | 4,50 | 219,68 | 85,0 | 36,0 | 45,0 |
| Przejazd samochodów transportowych | Linia | 643897,98 | 298715,57 | 0,50 | 431,85 | 0,0 | 0,0 | 79,0 |
| Przejazd samochodów osobowych | Linia | 643757,85 | 298704,58 | 0,50 | 114,40 | 0,0 | 0,0 | 54,0 |